# PROMOTE MENTAL HEALTH AND PREVENT SUBSTANCE ABUSE



## MENTAL HEALTH IN SARATOGA



## The Effect of Mental Health on the Population-NSDUH, Population 18+ Years of Age, 2013

|                                       | Saratoga | Capital Region |
|---------------------------------------|----------|----------------|
| Any Mental Illness                    | 33,500   | 151,200        |
| At Least One Major Depressive Episode | 12,300   | 58,900         |
| Serious Mental Illness                | 7,000    | 30,250         |
| Serious Thoughts of Suicide           | 7,000    | 30,250         |



#### The Effect of Mental Health on the Population

|   | Saratoga | Capital Region |
|---|----------|----------------|
| Number of adults with poor mental health for 14+ days in last month (2013-14) | 17,900   | 88,500         |
| Number of mental disease and disorder ED visits per year (2013)               | 2,342    | 10,806         |
| Number of mental disease and disorder hospitalizations per year (2013)        | 913      | 5,185          |
| Number of self-inflicted injury ED visits (15+ yrs.) per year (2013)          | 155      | 728            |
| Number of self-inflicted injury hospitalizations per year (2013)              | 198      | 818            |
| Number of suicide deaths per year (2013)                                      | 32       | 108            |



### The Effect of Mental Health on the Population-NSDUH, Estimated Prevalence, Population 18+ Years of Age, 2013

|  | Saratoga | Capital Region | New York<br>State |
|--|----------|----------------|-------------------|
| Any Mental Illness                       | 19%      | 20%            | 19%               |
| At Least One Major<br>Depressive Episode | 7%       | 7%             | 6%                |
| Serious Mental Illness                   | 4%       | 4%             | 4%                |
| Serious Thoughts of Suicide              | 4%       | 4%             | 4%                |



#### Finger Lakes HSA SPARCS and V.S. Portal Codes

#### Mental Diseases and Disorders-primary diagnosis (ICD 9)

- Psychosis (290-299)
- Neurotic disorders, personality disorders, and other nonpsychotic mental disorders (300-316)
- Mental retardation (317-319)

#### **Excluding:**

```
291.0-291.9 - Alcohol induced mental disorders;
292.0-292.9 - Drug induced mental disorders;
303.0-303.9 - Alcohol dependence syndrome;
304.0-304.9 - Drug dependence syndrome.
```


## Mental Health Indicators and Significance Compared to New York State (excl. NYC)


|  | Sarat | oga            | Capital F | Region | Upstate |
|--|-------|----------------|-----------|--------|---------|
| % adults with poormental health for 14+ days in last month (2013-14)     | 12.7  | Higher         | 13.5      | Higher | 11.8    |
| Adjusted mental disease and disorder ED Visits/10,000 (2011-2013)        | 106.3 | Lower          | 123.9     | Lower  | 127.7   |
| Adjusted mental disease and disorder hospitalizations/10,000 (2011-2013) | 43.6  | Lower          | 53.7      | Lower  | 55.8    |
| Adjusted suicide mortality/<br>100,000 (2011-2013)                       | 13.0  | Sig.<br>higher | 10.8      | Higher | 9.6     |
| Adjusted self-inflicted injury ED visits (15+ yrs.)/10,000 (2011-2013)   | 9.2   | Higher         | 10.7      | Higher | 8.5     |
| Adjusted self-inflicted injury hospitalization/10,000 (2011-2013)        | 8.9   | Sig.<br>higher | 8.5       | Higher | 7.0     |



Age-adjusted % of Adults with Poor Mental Health for 14+ Days in the Last Month, 2013-1014


#### Age-adjusted Suicide Mortality Rate per 100,000, 2011-2013








#### **Self-Inflicted Injury Hospitalization Rate per 10,000, 2011-2013**



Hospital Discharge Rate Counties Are Shaded Based On Quartile Distribution






## Adjusted Percentage of Adults with 14+ Poor Mental Health Days in Past Month, New York State (excl. NYC), Saratoga and Capital Region; 2003, 2008-2009, 2013-14

|                | 2003 | 2008-09 | 2013-14 |
|----------------|------|---------|---------|
| Saratoga       | NA   | 10.2    | 12.7    |
| Capital Region | NA   | NA      | 13.5    |
| Upstate        | 9.4  | 10.9    | 11.8    |






| 0.0            |      |      |       |       |       |       |       |       |       |        |
|----------------|------|------|-------|-------|-------|-------|-------|-------|-------|--------|
| 0.0            | 2005 | 2006 | 2007  | 2008  | 2009  | 2010  | 2011  | 2012  | 2013  | 2014.0 |
| Saratoga       | 70.5 | 73.8 | 80.7  | 85.0  | 85.3  | 100.5 | 100.4 | 108.6 | 110.4 | 113.0  |
| NYS, excl. NYC | 93.7 | 99.5 | 103.1 | 108.7 | 112.5 | 119.6 | 124.0 | 130.4 | 128.7 | 132.1  |

Saratoga NYS, excl. NYC



Per 10,000

## Age-adjusted Mental Diseases and Disorders Hospitalization Rate per 10,000, Saratoga and NYS excl. NYC, 2005-2014



| 0.0            | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 |
|----------------|------|------|------|------|------|------|------|------|------|------|
| Saratoga       | 34.8 | 35.1 | 37.3 | 38.3 | 37.0 | 45.4 | 49.2 | 40.2 | 41.6 | 41.1 |
| NYS, excl. NYC | 56.1 | 55.8 | 54.5 | 55.7 | 56.0 | 56.6 | 58.2 | 56.4 | 53.1 | 51.4 |

Saratoga NYS, excl. NYC



Per 10,000



| 0.0            | 2004-06 | 2005-07 | 2006-08 | 2007-09 | 2008-10 | 2009-11 | 2010-12 | 2011-13 |
|----------------|---------|---------|---------|---------|---------|---------|---------|---------|
| Saratoga       | 10.7    | 9.4     | 8.3     | 7.2     | 8.5     | 10.0    | 12.1    | 13.0    |
| NYS, excl. NYC | 7.2     | 7.7     | 7.9     | 7.7     | 8.1     | 8.7     | 9.5     | 9.7     |






Rate per 100,000

14.0



## Age-adjusted Self-Inflicted Injury Hospitalization Rate per 10,000, Saratoga and NYS, excl. NYC, 2004-2013





| 0.0            |      |      |      |      |      |      |      |      |      |      |
|----------------|------|------|------|------|------|------|------|------|------|------|
| 0.0            | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 |
| Saratoga       | 6.2  | 5.4  | 5.0  | 6.1  | 6.3  | 5.5  | 7.8  | 9.7  | 7.6  | 9.4  |
| NYS, excl. NYC | 5.8  | 5.8  | 5.9  | 6.1  | 6.3  | 6.4  | 6.9  | 7.2  | 7.1  | 6.7  |





per 10,000

## **EQUITY**



## Age-adjusted % Adults with Poor Mental Health for 14+ Days in Last Month, 2013-14

| <u>% Poor MH Days</u> | Saratoga | Capital Region | Upstate |
|-----------------------|----------|----------------|---------|
| Male                  | 11.5     | 12.7           | 10.4    |
| Female                | 13.1     | 13.5           | 12.1    |



## Age-adjusted Mental Diseases and Disorders Rates per 10,000 by Gender, 2011-2013

| <u>Hospitalizations</u> | Saratoga | Capital Region | Upstate |
|-------------------------|----------|----------------|---------|
| Male                    | 41.1     | 53.9           | 56.1    |
| Female                  | 46.1     | 53.6           | 55.6    |

| ED Visits |       |       |       |
|-----------|-------|-------|-------|
| Male      | 105.9 | 133.7 | 133.5 |
| Female    | 106.6 | 114.1 | 121.9 |



## Age-adjusted Mental Diseases and Disorders Rates per 10,000 by Race/Ethnicity, 2011-2013

| <u>Hospitalizations</u> | Saratoga | Capital Region |
|-------------------------|----------|----------------|
| White non-Hispanic      | 43.9     | 50.4           |
| Black non-Hispanic      | 83.8     | 89.4           |
| Hispanic                | 13.5     | 43.2           |

| ED Visits          |       |       |
|--------------------|-------|-------|
| White non-Hispanic | 107.5 | 116.3 |
| Black non-Hispanic | 163.8 | 210.4 |
| Hispanic           | 61.2  | 95.2  |



## Age-adjusted Self-inflicted Injury Rates per 10,000 (ages 15+) by Gender, 2011-2013

| <u>Hospitalizations</u> | Saratoga | Capital Region | Upstate |
|-------------------------|----------|----------------|---------|
| Male                    | 7.9      | 8.1            | 7.0     |
| Female                  | 13.8     | 12.0           | 10.1    |

| ED Visits |      |      |     |
|-----------|------|------|-----|
| Male      | 7.2  | 8.6  | 7.3 |
| Female    | 11.2 | 12.9 | 9.7 |



#### **Mental Health Indicators by Age, 2011-2013**

| <u>Suicide</u>                       | Saratoga | Capital<br>Region | Upstate |
|--------------------------------------|----------|-------------------|---------|
| Adjusted suicide mortality/100,000   | 13.0     | 9.6               | 8.0     |
| Suicide mortality ages 15-19/100,000 | 13.9*    | 5.4*              | 6.3     |

| Self-inflicted injury                                   |      |      |      |
|---|------|------|------|
| Adjusted self-inflicted injury hospitalization/10,000   | 8.9  | 8.5  | 7.0  |
| Self-inflicted injury hospitalization ages 15-19/10,000 | 17.2 | 15.1 | 12.5 |



<sup>\*</sup> Fewer than 10 events in the numerator, therefore the rate is unstable

#### **Top Neighborhood Rates**

#### **Mental Diseases and Disorders**

#### **ED Visits\***

- Saratoga County (106.3)
  - Saratoga Springs- 146.9
  - South Glens Falls- 144.0
  - Ballston Spa- 142.2
- Upstate- 127.7

#### Hospitalizations\*

- Saratoga County (43.6)
  - South Glens Falls-83.5
  - Saratoga Springs- 58.5
  - Ballston Spa- 51.2
- Upstate- 55.8



#### **Top Neighborhood Rates**

#### **Self-inflicted Injury (ages15+)**

#### **ED Visits\***

- Saratoga County (9.2)
  - North West- 17.8
  - Ballston Spa- 13.3
  - Waterford/Mechanicsville- 10.9
- Upstate- 8.5

#### Hospitalizations\*

- Saratoga County (10.9)
  - North West- 16.4
  - South Glens Falls- 16.4
  - Saratoga Springs- 14.6
- Upstate- 8.6



Saratoga has an estimated:

- 33,500 adults (18+yrs.) with "Any Mental Illness";
- 12,300 adults (18+yrs.) with "At Least One Major Depressive Episode";
- 7,000 adults (18+yrs.) with "Serious Mental Illness";
- 7,000 adults (18+yrs.) with "Serious Thoughts of Suicide".



#### Saratoga county annually has:

- 17,900 adults (18+yrs.) with poor mental health for 14+ days in last month;
- 2,342 Mental Disease/Disorder ED visits
- 913 Mental Disease/Disorder hospitalizations
- 155 Self-inflicted Injury ED visits;
- 198 Self-inflicted Injury hospitalizations;
- 32 deaths due to suicide.



- Saratoga had a higher % of adults with poor mental health compared to ROS, the rate falling in the 3<sup>rd</sup> risk quartile of all NYS counties;
- The % of adults with poor mental health days increased in Saratoga between 2008-09 and 2013-14;
- An estimated 19% of the County's adult population had a mental illness; 4% had a serious mental illness;



- Saratoga had lower mental disease/disorder ED visit and hospitalization rates compared to ROS;
- Saratoga had increasing mental disease/disorder ED visit rates during the last decade, a 50% increase from 2005 to 2013;
- The County trend for mental disease/disorder hospitalization rates was static through 2009-10, increased to a peak in 2011, then decreased through 2014;
- Females had slightly higher mental disease/disorder ED visit and hospitalization rates compared to males;
- BNH's had 1.5 times the ED Visit rates and 1.9 times the hospitalization rates compared to the WNH population;
- High risk neighborhoods were 1.2. times higher for mental disease/disorder ED visit rates and 1.0-1.5 times higher hospitalization rates than ROS.



- Saratoga had sig. higher suicide mortality (3<sup>rd</sup> risk quartile) and self-inflicted injury hospitalization (3<sup>rd</sup> risk quartile) rates compared to ROS;
- The County had a decreasing trend in suicide mortality through 2007-09, then increasing through 2011-13;
- Saratoga's self-inflicted injury hospitalization trend was static through 2009, and then increased through 2013, overall a 50% increase in the hospitalization rate since 2004;
- High risk neighborhoods were 1.3 to 2 times higher for self-inflicted injury ED, and 1.7 to 1.9 times hospitalization rates than ROS.



## SUBSTANCE ABUSE IN SARATOGA



## The Effect of Substance Abuse on the Population-NSDUH, Population 12+ Years of Age, 2013

|                                      | Saratoga | Capital Region |
|--------------------------------------|----------|----------------|
| Drug Dependence and Abuse            | 5,700    | 25,200         |
| Needing/Not Receiving Drug Treatment | 3,800    | 16,800         |



## The Effect of Substance Abuse on the Population-NSDUH, Estimated Prevalence, Population 12+ Years of Age, 2013

|   | Saratoga | Capital Region | New York State |
|---|----------|----------------|----------------|
| Drug Dependence and Abuse               | 3%       | 3%             | 3%             |
| Needing/Not Receiving Drug<br>Treatment | 2%       | 2%             | 3%             |




#### The Effect of Substance Abuse on the Population

|   | Saratoga | Capital Region |
|---|----------|----------------|
| Number of substance abuse (any diagnosis) ED visits (2013)        | 4,389    | 29,591         |
| Number of substance abuse (any diagnosis) hospitalizations (2013) | 3,513    | 18,789         |
| Number of drug-related hospitalizations per year (2013)           | 296      | 1,927          |
| Number of newborn drug-related hospitalization per year (2013)    | 18       | 110            |
| Number of substance abuse deaths per year (2013)                  | 3        | 45             |
| Number of opiate ED visits per year (2013)                        | 101      | 653            |
| Number of opiate hospitalizations per year (2013)                 | 66       | 382            |



## Clients Receiving Heroin Dependency Treatment at OASAS Certified Chemical Dependency Treatment Programs, Capital Region (6 Counties), 2007-2014





#### Finger Lakes HSA SPARCS and V.S. Portal Codes

#### Substance Abuse-Any diag. (ICD 9)

291.0-291.9 - Alcohol induced mental disorders; 292.0-292.9 - Drug induced mental disorders; 303.0-303.9 - Alcohol dependence syndrome; 304.0-304.9 - Drug dependence syndrome; 305.0-305.9 - Nondependent abuse of drugs.

#### Substance Abuse Mortality (ICD 10)

X 40-X 44 – Accidental Poisonings by Exposure to Noxious Substances

#### Substance Abuse-Opiates (ICD 9)


304.0 – Opioid type dependence; 304.7 – Combinations of opioid type drug with any drug dependence; 965.0-965.2 – Opiate poisonings; E850.0-E850.2 – Accidental opiate poisonings.

## Substance Abuse Indicators and Significance Compared to New York State (excl. NYC), 2011-2013

|  | Sara  | atoga      | Capital | Region | Upstate |
|--|-------|------------|---------|--------|---------|
| Adjusted drug-related hospitalizations/10,000                        | 12.8  | Sig. lower | 18.0    | Lower  | 21.1    |
| Newborn drug-related hospitalization rate/10,000 newborn discharges  | 64.7  | Sig. lower | 116.7   | Lower  | 123.4   |
| Adjusted substance abuse (any diagnosis) ED visit rate/10,000        | 272.9 | Lower      | 359.4   | Higher | 302.4   |
| Adjusted substance abuse (any diagnosis) hospitalization rate/10,000 | 148.6 | Lower      | 182.9   | Higher | 176.1   |
| Adjusted substance abuse mortality/100,000                           | 1.9   | Lower      | 3.8     | Lower  | 9.3     |
| Adjusted opiate ED visit rate /10,000                                | 5.7   | Lower      | 7.1     | Higher | 6.8     |
| Adjusted opiate hospitalization rate /10,000                         | 4.4   | Lower      | 6.0     | Lower  | 6.6     |




#### Age-adjusted Drug Hospitalization Rate per 10,000, 2011-2013




Hospital Discharge Rate Counties Are Shaded Based On Quartile Distribution

0 - < 17.9 : Q1 & Q2 17.9 - < 24.1 : Q3

#### Newborn Drug-Related Discharge Rate per 10,000 Newborn Discharges 2011-2013



## Age-adjusted Drug-Related Hospitalization Rate per 10,000, Saratoga and NYS excl. NYC, 2004-2013




| 0.0               |      |      |      |      |      |      |      |      |      |      |
|-------------------|------|------|------|------|------|------|------|------|------|------|
| 0.0               | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 |
| <b>→</b> Saratoga | 10.8 | 9.4  | 9.2  | 10.9 | 11.8 | 14.0 | 17.4 | 12.6 | 11.5 | 14.3 |
| →NYS, excl. NYC   | 20.3 | 20.5 | 21.2 | 20.8 | 21.3 | 22.5 | 21.7 | 21.3 | 21.6 | 20.3 |

→ Saratoga → NYS, excl. NYC




## Newborn Drug-Related Discharge Rate per 10,000 Newborn Discharges, Saratoga and NYS excl. NYC, 2004-2013






## Age-adjusted Substance Abuse (any diagnosis) ED Visit Rate per 10,000, Saratoga, and NYS excl. NYC, 2005-2014








## Age-adjusted Substance Abuse (any diagnosis) Hospitalization Rate per 10,000, Saratoga, and NYS excl. NYC, 2005-2014





#### Age-adjusted Substance Abuse Mortality Rate per 100,000, Saratoga and NYS excl. NYC, 2006-08 to 2011-13




Per 100,000

| 0.0            | 2006-08 | 2007-09 | 2008-10 | 2009-11 | 2010-12 | 2011-13 |
|----------------|---------|---------|---------|---------|---------|---------|
| Saratoga       | 4.4     | 4.8     | 3.0     | 1.3     | 1.4     | 1.9     |
| NYS, excl. NYC | 5.8     | 5.5     | 4.0     | 4.5     | 6.1     | 9.3     |

Saratoga NYS, excl. NYC




#### Opioid ED Visit Rate per 10,000, Saratoga, and NYS excl. NYC, 2005-2014







#### Opioid Hospitalization Rate per 10,000, Saratoga, and NYS excl NYC, 2005-2014







# **EQUITY**



# Age-adjusted Substance Abuse Mortality Rates per 100,000 by Gender, 2009-2013

| <u>Mortality</u> | Saratoga | Capital Region | Upstate |
|------------------|----------|----------------|---------|
| Male             | 2.0      | 4.3            | 9.2     |
| Female           | 0.9      | 1.8            | 3.8     |



# Age-adjusted Substance Abuse (any diagnosis) Rates per 10,000 by Gender, 2011-2013

| <u>Hospitalizations</u> | Saratoga | Capital Region |  |
|-------------------------|----------|----------------|--|
| Male                    | 165.7    | 208.5          |  |
| Female                  | 132.2    | 158.8          |  |

| ED Visits |       |       |
|-----------|-------|-------|
| Male      | 289.8 | 372.2 |
| Female    | 256.0 | 347.7 |



# Age-adjusted Opiate Rates per 10,000 by Gender, 2011-2013

| <u>Hospitalizations</u> | Saratoga | Capital Region |
|-------------------------|----------|----------------|
| Male                    | 5.6      | 7.2            |
| Female                  | 3.2      | 4.8            |

| ED Visits |     |     |
|-----------|-----|-----|
| Male      | 7.2 | 8.9 |
| Female    | 4.1 | 5.3 |



# Adjusted Drug-related Hospitalization Rate per 10,000 by Race/Ethnicity, 2011-2013

|                    | Saratoga | Upstate |
|--------------------|----------|---------|
| White non-Hispanic | 10.0     | 20.8    |
| Black non-Hispanic | 9.6      | 27.6    |
| Hispanic           | S        | 13.7    |



# Age-adjusted Opiate Rates per 10,000 by Race/Ethnicity, 2011-2013

| <u>Hospitalizations</u> | Saratoga | Capital Region |  |
|-------------------------|----------|----------------|--|
| White non-Hispanic      | 4.6      | 6.1            |  |
| Black non-Hispanic      | 2.3*     | 5.3            |  |
| Hispanic                | 5.2*     | 2.2            |  |
| Other                   | 5.3      | 12.6           |  |

| ED Visits          |      |      |
|--------------------|------|------|
| White non-Hispanic | 6.0  | 7.5  |
| Black non-Hispanic | 2.9* | 5.7  |
| Hispanic           | 1.4* | 3.2  |
| Other              | 5.9  | 12.6 |



#### **Top Neighborhood Rates**

#### **Substance Abuse (any diagnosis)**

#### **ED Visits\***

- Saratoga County (272.9)
  - North West- 453.2
  - Saratoga Springs- 423.5
  - Ballston Spa- 418.2
- Upstate- 302.4

#### Hospitalizations\*

- Saratoga County (148.6)
  - South Glens Falls- 220.9
  - North West- 209.2
  - Waterford/Mechanicsville- 193.5
- Upstate- 176.1



## **Top Neighborhood Rates**

#### Substance Abuse Mortality per 100,000 (2009-2013)

- Saratoga County (1.5)
  - Saratoga Springs- 2.4
  - Clifton Park West- 2.4
  - Waterford/Mechanicville- 1.8
- Upstate- 6.5



#### **Top Neighborhood Rates**

#### **Opioid Events (2009-2013)**

#### **ED Visits\***

- Saratoga County (5.3)
  - Ballston Spa- 9.9
  - South Glens Falls- 7.5
  - Waterford/Mechanicville- 7.0
- Upstate- 6.1

#### Hospitalizations\*

- Saratoga County (6.0)
  - Waterford/Mechanicsville- 8.9
  - North West- 7.5
  - South Glens Falls- 7.3
- Upstate- 6.9



Saratoga County was estimated to have:

- 5,700 individuals 12+ years of age with "Drug Dependence and Abuse";
- 3,800 individuals 12+ years of age "Needing/Not Receiving Drug Treatment".



Saratoga annually has:

- 4,389 Substance Abuse (any diagnosis) ED visits;
- 3,513 Substance Abuse (any diagnosis) hospitalizations;
- 296 Drug-related hospitalizations;
- 18 Newborn drug-related hospitalizations;
- 3 Substance abuse deaths.



- Saratoga has an estimated 3% of it's population having drug dependence and abuse, with 2% needing but not receiving treatment;
- Saratoga has lower or significantly lower substance abuse indicator rates, compared to ROS;
- Over the past decade, Saratoga's drug-related hospitalization rates increased through 2010, decreased through 2012, then increased in 2013;
- Newborn drug-related discharges showed an increasing trend through the decade;
- Substance Abuse (any diagnosis) ED visit rates increased through 2012, with a major drop in 2013;
- Substance Abuse (any diagnosis) hospitalization rates increased through 2011, with a decrease through 2013;



- Males had 2.2 times the substance abuse mortality rates, 1.25 times higher substance abuse hospitalization rates compared to females, but only 1.1 times higher ED visit rates;
- Black non-Hispanics had similar drug-related hospitalization rates compared to their white non-Hispanic Saratoga residents;
- High risk neighborhoods had 1.3 to 1.5 times the substance abuse ED visit rates, 1.1 to 1.3 times hospitalization rates, and 1.1-1.6 times the opioid ED and hospitalization rates than ROS, mortality rates were all lower than ROS;
- Over 90% increase in clients receiving Heroin Dependency Treatment at Capital Region OASAS certified treatment programs between 2011 to 2014.



# ALCOHOL ABUSE IN SARATOGA



# The Effect of Alcohol Abuse on the Population-NSDUH, Population 12+ Years of Age, 2013

|  | Saratoga | Capital Region |
|--|----------|----------------|
| Alcohol Dependence and Abuse               | 13,300   | 58,900         |
| Needing/Not Receiving Alcohol<br>Treatment | 13,300   | 58,900         |



#### The Effect of Alcohol Abuse on the Population, 2013

|  | Saratoga | Capital Region |
|--|----------|----------------|
| Number of adult who binge drank during the past month (2013-14)      | 27,750   | 121,300        |
| Number of alcohol related motor vehicle injuries and deaths per year | 102      | 410            |
| Number of cirrhosis hospitalization per year                         | 45       | 241            |
| Number of cirrhosis deaths per year                                  | 31       | 115            |



## The Effect of Alcohol Abuse on the Population-NSDUH, Estimated Prevalence, Population 12+ Years of Age, 2013

|  | Saratoga | Capital Region | New York<br>State |
|--|----------|----------------|-------------------|
| Alcohol Dependence and Abuse               | 7%       | 7%             | 7%                |
| Needing/Not Receiving Alcohol<br>Treatment | 7%       | 7%             | 6%                |




# Substance Abuse Indicators and Significance Compared to New York State (excl. NYC)


|   | Saratoga |                | Capital | Region  | Upstate |
|---|----------|----------------|---------|---------|---------|
| Age-adjusted percentage of adult binge drinking during the past month | 19.8     | Higher         | 18.3    | Higher  | 17.4    |
| Alcohol related motor vehicle injuries and deaths/100,000             | 51.1     | Sig.<br>higher | 44.1    | Similar | 44.3    |
| Adjusted cirrhosis hospitalization rate/10,000                        | 1.8      | Sig.<br>lower  | 2.2     | Same    | 2.2     |
| Adjusted cirrhosis mortality rate/100,000                             | 8.6      | Sig.<br>higher | 8.8     | Higher  | 7.2     |




# % of Adults who Binge Drink, 2013-14



Age-adjusted percentage of adults
Counties Are Shaded Based On Quartile Distribution



#### Alcohol-related Motor Vehicle Injuries and Deaths per 100,000, 2011-2013






Counties Are Shaded Based On Quartile Distribution




Source: 2011-2013 NYS Department of Motor Vehicles Data as of June, 2015




## Age-adjusted Cirrhosis Hospitalization Rate per 10,000, 2011-2013




Hospital Discharge Rate
Counties Are Shaded Based On Quartile Distribution
(\* Fewer than 10 events in the numerator, therefore the rate is unstable)



# Age-adjusted Cirrhosis Mortality Rate per 100,000, 2011-2013



Death Rate
Counties Are Shaded Based On Quartile Distribution
(\* Fewer than 10 events in the numerator, therefore the rate is unstable)






# Adjusted Percentage of Adults who were Binge Drinkers for New York State (excl. NYC), Saratoga and Capital Region; 2003, 2008-2009, 2013-14

|                | 2003 | 2008-09 | 2013-14 |
|----------------|------|---------|---------|
| Saratoga       | 16.3 | 20.1    | 19.8    |
| Capital Region | NA   | NA      | 18.3    |
| Upstate        | 15.2 | 19.8    | 17.4    |



80.0

Rate per 10,000




| 0.0            | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 |
|----------------|------|------|------|------|------|------|------|------|------|------|
| Saratoga       | 71.9 | 61.4 | 61.7 | 63.7 | 61.2 | 55.9 | 48.3 | 51.6 | 56.3 | 45.6 |
| NYS, excl. NYC | 62.8 | 59.3 | 55.5 | 54.7 | 52.0 | 51.7 | 46.2 | 45.3 | 45.6 | 41.9 |






# Age-adjusted Cirrhosis Hospitalization Rate per 10,000, Saratoga and NYS excl. NYC, 2004-06 to 2011-13



| 0.0               |         |         |         |         |         |         |         |         |
|-------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0.0               | 2004-06 | 2005-07 | 2006-08 | 2007-09 | 2008-10 | 2009-11 | 2010-12 | 2011-13 |
| <b>→</b> Saratoga | 2.0     | 2.0     | 1.9     | 1.6     | 1.4     | 1.4     | 1.6     | 1.8     |
| NYS, excl.        | 2.4     | 2.4     | 2.3     | 2.2     | 2.2     | 2.2     | 2.1     | 2.2     |



## Age-adjusted Cirrhosis Mortality Rate per 10,000 Saratoga and NYS excl. NYC, 2004-06 to 2011-13



| $\Omega$          |         |         |         |         |         |         |         |         |
|-------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0.0               | 2004-06 | 2005-07 | 2006-08 | 2007-09 | 2008-10 | 2009-11 | 2010-12 | 2011-13 |
| <b>→</b> Saratoga | 7.8     | 7.9     | 6.6     | 6.0     | 6.2     | 7.1     | 7.4     | 8.6     |
| →NYS, excl. NYC   | 6.3     | 6.4     | 6.6     | 6.5     | 6.6     | 6.8     | 7.1     | 7.2     |



# **EQUITY**



#### % Adults Binge Drinking in Past Month, 2013-14

| <u>% Binge Drink</u> | Saratoga | Capital Region | Upstate |
|----------------------|----------|----------------|---------|
| Male                 | 23.2     | 21.9           | 22.8    |
| Female               | 14.6     | 12.9           | 11.4    |



## **Alcohol Abuse Summary**

#### Saratoga annually has:

- 27,750 binge drinkers;
- 13,300 individuals 12+ years estimated to have alcohol dependence or abuse;
- 13,300 individuals 12+years estimated needing/not receiving alcohol treatment;
- 102 alcohol-related motor vehicle injuries and deaths;
- 45 cirrhosis hospitalizations;
- 31 deaths due to cirrhosis.



## **Alcohol Abuse Summary**

- Saratoga has an estimated 7% of it's population having alcohol dependence and abuse, with 7% needing but not receiving alcohol treatment;
- Saratoga had higher adult binge drinking rates compared to ROS and fell into the 4<sup>th</sup> risk quartile;
- Saratoga had significantly higher alcohol-related MV injury and death, and cirrhosis mortality rates (both in 3<sup>rd</sup> risk quartile), but significantly lower cirrhosis hospitalization rates than ROS;
- Males were 1.6 times more likely to binge drink than females;
- For the past decade, MV Injury and Death trends have been decreasing;
- Cirrhosis hospitalization and mortality trends were decreasing until 2008-10, then increasing through 2011-13.