

**Improve Health Status and Reduce  
Health Disparities**

Indicator		Prevention Agenda 2017 Objective	NYS	NYS excl. NYC (Upstate)	Capital Region County) Summary	Albany County	Schenectady County	Rensselaer County	Saratoga County	Columbia County	Greene County
	YEAR	Rate	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #
Age-adjusted total mortality rate per 100,000	2013-2015		638.3	672.9	700.4	684.8	744.9	768.4	633.1	718.7	743.5
Number :	2015				9,038	2,806	1,546	1,555	1,837	736	558
Percentage of premature death (before age 65 years)	2015	21.8	23.3	21.6	21.5	20.6	24.0	22.8	19.9	18.8	23.8
Number :					1,920	578	371	354	365	138	133
Ratio of Black non-Hispanics to White non-Hispanics	2013-2015	1.87	1.96	2.07	2.41	2.62	2.87	2.00	1.64	2.06	2.40
Ratio of Hispanics to White non-Hispanics	2103-2015	1.86	1.89	2.22	2.48	3.01	2.73	2.77	1.67	1.83	1.20
Years of Potential Life Lost (YPLL) per 100,000	2013-2015		5,594.4	5,934.1	6,247.3	5,891.7	7,479.5	6,605.9	5,024.7	7,192.5	7,995.5
Rate of preventable hospitalizations- Ages 18+ years	2014	122.0	119.5	106.8	97.0	98.4	104.8	111.4	78.3	105.3	99.7
Number :					8,403	2,638	1,482	1,535	1,566	682	500
Ratio of Black non-Hispanics to White non-Hispanics	2012-2014	1.85	2.18	2.00	2.20	2.34	1.93	2.38	1.52	2.02	1.55
Ratio of Hispanics to White non-Hispanics	2012-2014	1.38	1.54	1.52	0.91	0.89	0.71	1.17	0.87	0.92	1.00
Age-adjusted total hospitalization rate per 10,000	2012-2014		1,146.9	1,076.4	1,016.2	1,012.5	1,140.0	1,046.6	912.4	994.6	1,113.9
Number :	2014				101,250	31,637	18,503	17,192	21,163	6,754	6,001
Age-adjusted total emergency department visit rate per 10,000	2012-2014		4,087.0	3,757.8	3,864.6	4,086.6	4,661.0	4,736.0	2,502.9	4,090.5	3,296.3
Number :	2014				360,979	124,338	70,219	73,477	52,971	24,027	15,947
Percentage of adults with health insurance - Ages 18-64 years	2015	100.0	89.8	na	93.5	93.5	93.2	93.8	94.1	91.7	92.0
# without health insurance					40,127	13,184	6,585	6,431	8,353	3,999	2,428
Age-adjusted Percentage of adults with a regular health care provider - Ages 18+ yrs	2013-2014	90.8	84.4	84.6	85.9	86.8	79.8	86.3	90.2	3146	80.7
# without health care provider					101,216	33,052	21,918	17,350	15,317	6,814	6,765
Age-adjusted % Adults not receiving regular care due to cost	2013-2014		13.6	12.0	10.8	11.2	12.4	11.1	10.6	7.4	11.1
Number :					78,780	24,936	15,459	13,771	16,983	3,462	4,170
Age-adjusted % Adults who have seen a dentist in the past year	2013-2014		69.3	70.9	71.3	70.7	69.7	69.8	75.4	72.5	67.3
# not seen a dentist					200,508	65,724	34,483	34,357	39,967	13,665	12,312
Primary care physician to pop. ratio	2014		1,200:1	na	na	991:1	1,320:1	1,997:1	1,397:1	1,941:1	2,665:1
Dentist to pop. ratio	2015		1,270:1	na	na	1,172:1	1,267:1	2,257:1	1,628:1	2,563:1	2,801:1

Mental health provider to pop. ratio	2016		420:1	na	na	331:1	528:1	706:1	716:1	669:1	1,401:1
Other primary care provider (NP, PA, Clin. Nurse Spec.)	2016		1,092:1	na	na	691:1	1,089:1	1,587:1	1,560:1	1,577:1	1,323:1
% of labor force unemployed <i>Number :</i>	2016		4.8	5.1	4.1	4.0	4.3	4.3	3.8	3.7	5.0
					19,799	6,421	3,268	3,473	4,441	1,159	1,037
% of population at or below poverty level <i>Number :</i>	2015		15.5	na	11.2	12.6	12.0	12.0	6.4	13.6	16.4
					107,208	38,740	18,576	19,188	14,322	8,459	7,923
% of children ages less than 18 yrs at or below poverty level <i>Number :</i>	2015		22.3	na	15.6	16.4	18.3	18.2	8.5	19.4	24.3
					30,357	9,670	6,260	5,954	4,098	2,287	2,088
% of children in public schools eligible for free/reduced lunch	2015-16		52.5	40.2	na	37.6	47.2	43.5	23.0	48.2	47.0
Median Family Income	2015		\$60,805	na	na	\$57,312	\$59,432	\$60,117	\$75,029	\$58,335	\$48,114

### Promote a Healthy and Safe Environment

Indicator		Prevention Agenda 2017 Objective	NYS	NYS excl. NYC (Upstate)	Capital Region (6 County) Summary	Albany County	Schenectady County	Rensselaer County	Saratoga County	Columbia County	Greene County
	YEAR	Rate	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #
Rate of hospitalizations due to falls per 10,000 - Ages 65+ years <i>Number :</i>	2014	204.6	183.6	188.7	183.2	185.2	208.7	173.4	176.9	167.5	178.6
					2,823	875	507	507	631	217	171
Rate of ED visits due to falls per 10,000 - Ages 1-4 years <i>Number :</i>	2014	429.1	440.1	442.7	406.6	390.0	572.0	517.6	219.7	444.2	339.4
					1,621	481	423	357	206	96	58
Assault-related hospitalization rate per 10,000 <i>Number :</i>	2012-2014	4.3	3.9	2.4	2.3	3.2	2.7	2.6	1.0	0.8	1.5
					215	97	42	42	23	5	7
<i>Ratio of Black non-Hispanics to White non-Hispanics</i>	2012-2014	6.69	7.28	7.68	5.62	7.83	5.51	6.17	s	s	5
<i>Ratio of Hispanics to White non-Hispanics</i>	2012-2014	2.75	3.45	2.55	3.02	2.08	1.49	2.24	s	s	s
<i>Ratio of low income ZIP codes to non-low income ZIP codes</i>	2012-2014	2.92	3.29	3.24	5.45	6.66	6.00	3.30	s	s	s
Rate of occupational injuries treated in ED- Ages 15-19 years <i>Number :</i>	2014	33.0	20.6	28.2	29.5	22.6	44.6	33.2	24.6	45.1	27.1
					195	54	46	37	35	15	8
Percentage of population that lives in a Climate Smart Community	2016	32	35.2	60.9	67.1	100	100	47.7	28.8	39.8	29.3

<i>Number not in C.S. Community</i>					332,993	0	0	83,906	16,483	37,052	33,876
Percentage of commuters who use alternate modes of transportation <sup>1</sup>	<b>2011-15</b>	<b>49.2</b>	45.5	22.8	19.0	21.0	18.4	18.5	16.4	22.2	16.5
<i>Number not using:</i>					376,968	120,450	59,171	63,899	94,606	22,739	16,103
% pop. without adequate access to locations for physical activity	<b>2014</b>		9	na	18.6	14	11	30	13	42	31
<i>Number :</i>					178,386	43,222	17,041	48,025	29,212	26,031	14,855
% of pop. with inadequate access to food during past year	<b>2014</b>		14	na	11	13	12	12	9	10	12
<i>Number :</i>					109,530	40,020	18,620	18,800	19,990	6,370	5,730
Percentage of low-income pop. with low access to a supermarket <sup>2</sup>	<b>2010</b>	<b>2.24</b>	2.49	4.23	5.45	4.96	9.61	5.40	3.88	4.64	3.63
<i>Number :</i>					51,771	15,074	14,863	8,602	8,516	2,928	1,788
Percentage of homes with fewer asthma triggers during home revisit	<b>2012-2015</b>	<b>41</b>	na	19.6	na	na	34.0	na	na	na	na
Percentage of households with severe housing problem	<b>2009-2013</b>		24	na	na	16	16	16	12	15	18
Percentage of residents served by CWS with fluoridated water	<b>2016</b>	<b>78.5</b>	71.1	46.9	38.2	13.3	67.2	82.3	40.2	0.0	6.2
<i># without fluoridated water</i>					476,027	255,003	46,234	19,083	102,504	27,598	25,605
Air Pollution--ave. daily measure of fine particulate matter (PM2.5)	<b>2012</b>		8.6	na	na	8.6	8.5	8.5	8.7	8.0	7.7
Unintentional Injury Mortality per 100,000	<b>2013-2015</b>		27.6	33.4	23.0	19.4	22.0	27.0	21.0	30.7	39.0
<i>Number :</i>	<b>2015</b>				281	77	46	53	58	26	26
Unintentional Injury Hospitalizations per 10,000	<b>2012-2014</b>		61.4	60.3	54.1	54.3	51.4	56.3	51.5	57.3	68.0
<i>Number :</i>	<b>2014</b>				6,088	1,900	996	985	1,331	469	407
Motor Vehicle Related Mortality per 100,000	<b>2013-2015</b>		5.6	7.1	7.0	4.7	4.5	8.1	7.6	16.0	14.4
<i>Number :</i>	<b>2015</b>				78	18	7	14	20	11	8
Work-related Hospitalizations per 10,000 employed persons 16+yrs	<b>2013-2015</b>		14.4	17.9	13.4	11.7	12.4	14.8	12.5	16.7	23.8
<i>Number :</i>	<b>2015</b>				545	162	71	115	121	35	41
Elevated blood lead levels (>10ug/dl)per 100,000 employed persons 16+ yrs	<b>2013-2015</b>		18.8	19.7	14.8	7.7	11.5	12.9	16.5	47.8	29.1
<i>Number :</i>	<b>2015</b>				58	10	10	12	11	12	3

## Prevent Chronic Diseases

Indicator		Prevention Agenda 2017 Objective	NYS	NYS excl. NYC (Upstate)	Capital Region (6 County) Summary	Albany County	Schenectady County	Rensselaer County	Saratoga County	Columbia County	Greene County
	YEAR	Rate	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #
Age-adjusted percentage of adults who are obese Number :	2013-2014	23.2	24.9	27.0	27.8 196,015	26.0 58,038	32.8 37,880	26.8 24,104	25.9 41,920	24.0 11,996	31.4 11,177
Percentage of children and adolescents who are obese Number :	2014-2016	16.7	na	17.3	16.7 24,411	16.4 7,147	18.8 4,725	18.7 4,481	14.0 5,107	18.7 1,692	19.6 1,259
% of children (aged 2-4 yrs.) enrolled in WIC who are obese Number :	2013-2015 2015		13.6	15.0	14.6 912	13.7 282	14.7 194	14.8 198	13.7 10	17.8 83	15.8 55
Age-adjusted % Adults not engaged in some type of leisure time physical activity # no leisure time PA	2013-2014		27.1	26.2	23.4 174,457	21.7 50,639	22.3 27,970	26.1 33,309	22.1 37,246	25.7 12,953	30.2 12,240
Age-adjusted % Adults who consume 1+ sugary drinks daily Number :	2013-2014		24.7	24.7	20.9 146,058	19.0 44,866	20.7 22,470	26.8 31,612	19.3 30,312	22.9 9,696	18.5 7,101
Age-adjusted % Adults who consume fast food 3+ times/week Number :	2013-2014		5.9	6.8	5.9 39,790	6.2 12,979	5.7 5,825	7.9 8,816	4.0 6,611	6.5 2,365	na na
Age-adjusted % Diabetes Prevalence in Adults Number :	2013-2014		8.9	8.2	8.7 70,730	8.8 23,281	7.8 9,910	10.0 12,372	8.3 15,556	7.1 4,693	10.2 4,918
Age-adjusted % Adults with physician diagnosed pre-diabetes Number :	2013-2014		5.9	4.9	4.8 33,014	4.9 10,472	4.2 4,929	5.4 5,903	4.0 7,071	6.4 3,065	4.7 1,574
Diabetes Mortality Rate per 100,000 Number :	2013-2015 2015		17.3	15.3	15.4 190	14.5 53	18.3 37	19.5 34	13.1 42	13.7 10	13.5 14
Diabetes (primary diagnosis) Hospitalizations per 10,000 Number :	2012-2014 2014		17.3	13.8	12.0 1,155	13.2 407	13.4 191	13.9 211	8.5 192	11.8 77	11.0 77
Diabetes (any diagnosis) Hospitalizations per 10,000 Number :	2012-2014 2014		210.8	182.4	172.0 19,936	173.6 612	196.3 3,603	193.5 3,662	141.5 2,882	166.7 1,485	174.8 1,184
Hospitalizations for short-term complications of diabetes - 6-17 yrs	2012-2014	3.1	3	2.9	2.7	2.4	3.3	1.8	3.0	3.1	s

<i>Number :</i>					36	10	8	4	10	3	s
Hospitalizations for short-term complications of diabetes - 18+	<b>2012-2014</b>	<b>4.9</b>	6.5	6.0	6.2	6.5	8.0	7.7	4.0	5.3	4.1
<i>Number :</i>					469	161	97	98	70	27	16
Chronic Kidney Disease (any diagnosis) Hospitalizations per 10,000	<b>2012-2014</b>		103.6	93.7	102.2	109.1	113.0	103.1	97.3	79.7	88.4
<i>Number :</i>	<b>2014</b>				12,111	4,008	2,178	1,996	2,606	721	578
Chronic Kidney Disease (any diagnosis) ED visits per 10,000	<b>2012-2014</b>		107.1	99.5	103.8	131.1	51.4	123.3	104.1	80.7	92.1
<i>Number :</i>	<b>2014</b>				12,724	5,225	899	2,568	2,662	738	632
Percentage of cigarette smoking among adults	<b>2013-2014</b>	<b>12.3</b>	15.6	17.3	19.1	16.3	19.3	23.8	17.7	21.0	24.5
<i>Number :</i>					141,063	39,049	22,677	29,431	30,141	10,331	9,434
Lung Cancer Incidence/100,000	<b>2012-2014</b>		59.4	66.3	73.3	68.8	63.8	86.8	70.0	82.5	84.8
<i>Number :</i>	<b>2014</b>				855	241	115	168	197	73	61
Lung Cancer Mortality/100,000	<b>2012-2014</b>		38.6	43.5	48.1	47.6	45.1	49.9	50.7	45.9	47.4
<i>Number :</i>	<b>2014</b>				542	155	85	85	144	36	37
COPD/CLRD Mortality Rate per 100,000	<b>2013-2015</b>		29.5	35.0	40.1	35.5	39.7	54.3	37.0	43.1	40.6
<i>Number :</i>	<b>2015</b>				534	157	84	107	110	48	28
COPD/CLRD Hospitalizations per 10,000	<b>2012-2014</b>		33.1	26.9	26.1	26.3	26.5	32.1	19.9	31.3	26.5
<i>Number :</i>	<b>2014</b>				2,736	831	456	567	498	248	136
Age-adjusted % Adults with Current Asthma	<b>2013-2014</b>		10.1	10.5	11.7	11.1	10.0	13.5	11.1	16.9	7.2
<i>Number :</i>					85,825	25,470	13,043	17,588	18,900	7,379	3,446
Asthma emergency department visit rate per 10,000	<b>2014</b>	<b>75.1</b>	86.2	49.1	51.7	63.7	74.5	64.4	20.8	35.6	24.8
<i>Number :</i>					4,959	1,964	1,161	1,027	467	221	119
Asthma emergency department visit rate per 10,000 - Ages 0-4 years	<b>2014</b>	<b>196.5</b>	205.7	117.2	124.5	162.1	144.0	147.0	52.8	116.0	75.4
<i>Number :</i>					618	250	135	125	61	31	16
Asthma Hospitalizations-Total per 10,000	<b>2012-2014</b>		18.0	10.6	8.8	10.6	8.2	11.0	5.4	9.4	8.0
<i>Number :</i>	<b>2014</b>				803	291	121	179	125	62	25
Asthma Hospitalizations-0-17 years per 10,000	<b>2012-2014</b>		27.0	14.3	10.6	13.0	9.9	13.5	6.5	9.9	10.1
<i>Number :</i>	<b>2014</b>				199	65	37	42	34	16	26
Age-adjusted % Adults with Elevated Cholesterol	<b>2013-2014</b>		34.5	33.8	32.8	31.5	35.6	32.9	30.7	37.9	26.7
<i>Number :</i>					235,112	70,939	42,198	39,271	52,680	18,461	11,563
Age-adjusted % Adults with physician diagnosed high blood pressure	<b>2013-2014</b>		27.3	27.8	30.1	30.8	32.1	32.0	25.7	29.0	33.8
<i>Number :</i>					243,986	77,952	40,624	43,225	49,150	17,015	16,019
Age-adjusted Heart Attack (Acute MI) Mortality per 100,000	<b>2013-2015</b>		28.9	32.3	23.2	19.9	25.2	26.6	21.1	23.9	32.7

<i>Number :</i>	<b>2015</b>				283	78	63	50	53	31	18
Age-adjusted heart attack hospitalization rate per 10,000	<b>2014</b>	<b>14.0</b>	14.0	14.8	13.2	12.5	15.4	12.8	12.5	12.5	15.2
<i>Number :</i>					1,585	459	300	249	349	120	108
Coronary Heart Disease Mortality per 100,000	<b>2013-2015</b>		138.7	124.3	112.7	106.7	123.1	118.3	97.0	140.0	130.0
<i>Number :</i>	<b>2015</b>				1,447	432	273	239	268	140	95
Coronary Heart Disease Hospitalizations per 10,000	<b>2012-2014</b>		31.6	29.7	21.9	19.3	27.0	22.5	20.9	21.7	24.7
<i>Number :</i>	<b>2014</b>				2,596	755	461	385	620	201	172
Congestive Heart Failure Mortality per 100,000	<b>2013-2015</b>		12.7	16.9	17.4	18.6	19.9	20.9	12.9	13.2	17.8
<i>Number :</i>	<b>2015</b>				212	76	39	37	29	17	14
Congestive Heart Failure Hospitalizations per 10,000	<b>2012-2014</b>		24.5	22.8	20.0	19.9	23.5	21.0	17.0	19.5	21.1
<i>Number :</i>	<b>2014</b>				2,493	757	454	442	466	216	158
Cerebrovascular (Stroke) Disease Mortality per 100,000	<b>2013-2015</b>		25.7	28.6	27.6	26.6	31.2	26.7	27.0	32.5	22.5
<i>Number :</i>	<b>2015</b>				361	116	66	54	73	32	20
Cerebrovascular (Stroke) Disease Hospitalizations per 10,000	<b>2012-2014</b>		23.0	22.9	20.3	19.6	23.5	21.2	18.1	19.7	23.2
<i>Number :</i>	<b>2014</b>				2,382	699	459	403	485	173	163
% Women 40+ yrs. with mammo. Screening in past 2 years	<b>2013-2014</b>		77.8	na	74.3	75.2	73.9	76.7	75.5	68.0	67.6
<i># not screened:</i>					65,510	19,538	10,770	9,767	15,002	5,963	4,470
% Women 50-74yrs. with mammo. during measurement year or year prior in Medicaid population	<b>Oct. 2013 through Dec. 2015</b>		71.4	64.1	61.6	62.0	61.6	60.8	59.8	65.6	61.1
<i># on Medicaid not meeting screening guidelines</i>					1,441	465	295	250	241	95	95
Late Stage Diagnosis-Breast (female) Cancer per 100,000	<b>2012-2014</b>		42.4	42.5	45.5	47.6	44.2	44.5	44.9	46.8	41.5
<i># late stage</i>	<b>2014</b>				245	90	41	44	69	21	11
Breast (female) Cancer Incidence per 100,000	<b>2012-2014</b>		130.0	136.9	135.5	142.7	137.7	131.0	133.5	117.3	139.5
<i>Number :</i>	<b>2014</b>				838	266	133	147	197	54	41
Breast (female) Cancer Mortality per 100,000	<b>2012-2014</b>		19.7	19.3	19.6	20.2	19.8	21.3	16.7	19.0	27.4
<i>Number :</i>	<b>2014</b>				128	42	21	18	25	12	10
Late Stage Diagnosis-Prostate Cancer per 100,000	<b>2012-2014</b>		21.0	20.4	20.7	21.8	12.9	21.7	24.4	23.7	14.0
<i># late stage</i>	<b>2014</b>				130	47	15	12	33	5	s
Prostate Cancer Incidence per 100,000	<b>2012-2014</b>		125.8	123.1	104.1	118.0	77.9	104.3	112.8	91.9	85.2
<i>Number :</i>	<b>2014</b>				653	221	70	90	165	58	49
Prostate) Cancer Mortality per 100,000	<b>2012-2014</b>		18.3	17.0	18.0	17.2	19.8	20.0	20.8	12.6	11.5
<i>Number :</i>	<b>2014</b>				84	23	11	17	23	s	s

% Women 21-65 yrs. receiving cervical cancerscreening based on recent guidelines # not meeting guidelines:	2013-2014		80.8	83.8	80.0	79.3	80.2	81.1	82.5	76.3	73.7
					54,699	19,239	8,280	11,100	10,594	4,349	3,351
Cervical Cancer Incidence per 100,000 Number:	2012-2014 2014		7.7	6.8	6.7	5.5	8.4	8.0	3.8	10.7	11.7
					28	9	s	s	s	s	s
Cervical Cancer Mortality per 100,000 Number :	2012-2014 2014		2.4	2.0	1.4	s	s	2.4	s	s	s
					7	s	s	s	s	s	s
Percentage of adults who receive a colorectal cancer screening - Ages 50-75 years^ # who did not receive screening	2013-2014	80.0	69.3	70.0	69.4	72.8	65.9	68.8	71.7	59.3	67.8
					82,469	21,908	14,062	13,942	18,664	8,785	5,107
Colorectal Cancer Incidence per 100,000 Number :	2012-2014 2014		39.4	38.9	39.0	37.1	31.9	45.1	41.0	42.3	41.8
					466	144	58	84	107	42	31
Colorectal Cancer Mortality per 100,000 Number :	2012-2014 2014		13.5	13.1	14.1	12.6	14.7	15.5	12.8	17.4	17.6
					167	47	25	37	31	16	11

### Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Indicator	YEAR	Prevention Agenda 2017 Objective	NYS	NYS excl. NYC (Upstate)	Capital Region (6 County) Summary	Albany County	Schenectady County	Rensselaer County	Saratoga County	Columbia County	Greene County
		Rate	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #
Percentage of children with immunizations - 19-35 months <sup>3</sup> # not immunized	2015	80	na	62.0	71.4	65.2	76.7	71.7	78.2	69.0	65.6
					4,142	1,758	531	688	744	214	207
Percentage of females with 3-dose HPV immunization - 13-17 years # not immunized	2015	50	na	38.2	44.3	44.9	48.3	43.8	43.5	39.9	37.4
					17,239	5,455	2,651	2,713	4,458	1,034	928
Percentage of adults with flu immunization - Ages 65+ years # not immunized	2013-2014	70.0	72.1	76.8	75.8	72.7	76.9	77.4	80.2	77.7	65.7
					33,488	11,518	5,180	4,783	6,310	2,634	3,063
Newly diagnosed HIV case rate per 100,000 Number :	2013-2015	16.1	16.9	7.0	5.8	8.2	5.6	5.0	2.8	9.1	4.2
					56	25	9	8	6	6	2
<i>Difference in rates (Black and White) of new HIV diagnoses</i>		46.8	37.4	21.8	18.6	21.8	17.5	17.6	s	s	s
<i>Difference in rates (Hispanic and White) of new HIV diagnoses</i>		26.6	24.3	14.3	18.9	26.7	17.6	11.3	s	42.2	s

AIDS mortality rate per 100,000 <i>Number:</i>	<b>2013-2015</b> <b>2015</b>		2.9	1.0	1.1	2.0	0.7	0.9	0.4	1.0	1.0
					12	8	1	1	2	0	0
Gonorrhea case rate per 100,000 women - Ages 15-44 years <i>Number:</i>	<b>2015</b>	<b>183.4</b>	201.8	182.3	204.2	258.4	293.1	243.0	43.8	125.2	191.2
					378	172	87	75	18	12	14
Gonorrhea case rate per 100,000 men - Ages 15-44 years <i>Number:</i>	<b>2015</b>	<b>199.5</b>	377.6	192.2	194.0	292.0	248.6	181.9	56.4	87.8	118.0
					368	191	74	59	24	9	11
Chlamydia case rate per 100,000 women - Ages 15-44 years <i>Number:</i>	<b>2015</b>	<b>1458</b>	1575.7	1299.8	1486.9	1724.4	1836.3	1607.1	879.1	1064.4	1265.7
					2,752	1148	545	496	361	102	100
Primary and secondary syphilis case rate per 100,000 males <i>Number:</i>	<b>2015</b>	<b>10.1</b>	20.3	8.8	7.0	8.7	12.0	5.1	4.5	6.5	0.0
					33	13	9	4	5	2	0
Primary and secondary syphilis case rate per 100,000 females <i>Number:</i>	<b>2015</b>	<b>0.4</b>	0.7	0.3	0.6	0.6	1.3	0.0	0.9	0.0	0.0
					3	1	1	0	1	0	0
Tuberculosis case rate per 100,000 <i>Number:</i>	<b>2013-2015</b> <b>2015</b>		4.1	1.8	1.3	1.5	1.9	0.6	0.6	2.7	2.1
					9	2	3	0	1	3	0
Lyme Disease case rate per 100,000 <i>Number:</i>	<b>2013-2015</b> <b>2015</b>		38.1	59.3	184.3	78.0	48.7	329.6	132.9	529.9	615.8
					1,903	288	118	541	253	387	316
Pertussis incidence per 100,000 <i>Number:</i>	<b>2013-2015</b> <b>2015</b>		5.0	6.6	3.1	2.3	2.1	1.7	4.6	7.0	4.9
					14	5	0	1	4	0	4

### Promote Healthy Women, Infants, and Children

Indicator		Prevention Agenda 2017 Objective	NYS	NYS excl. NYC (Upstate)	Capital Region (6 County) Summary	Albany County	Schenectady County	Rensselaer County	Saratoga County	Columbia County	Greene County
	YEAR	Rate	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #	Rate & #
Percentage of women with health coverage - Ages 18-64 years <i># without health insurance</i>	<b>2015</b>	<b>100.0</b>	91.9	na	94.6	94.8	94.2	95.1	95.1	92.6	93.1
					16,458	5,349	2,825	2,515	4,041	1,350	945
Percentage of preterm births (<37 weeks gest.)	<b>2015</b>	<b>10.2</b>	10.5	10.6	10.2	9.7	11.5	11.2	9.8	8.4	9.3



<i>Number :</i>					970	305	202	176	211	41	35
<i>Ratio of Black non-Hispanics to White non-Hispanics</i>	<b>2012-2014</b>	<b>1.42</b>	1.60	1.61	1.52	1.55	1.26	1.67	1.39	1.18	2.01
<i>Ratio of Hispanics to White non-Hispanics</i>		<b>1.12</b>	1.26	1.25	1.08	1.20	0.79	0.94	1.47	1.02	1.24
<i>Ratio of Medicaid births to non-Medicaid births</i>		<b>1.06</b>	1.10	1.12	1.05	1.08	1.12	0.99	0.95	0.89	0.80
% Low Birthweight Births (<2500gms)	<b>2013-2015</b>		7.9	7.6	7.5	7.9	8.0	7.8	6.4	6.5	7.2
<i>Number :</i>	<b>2015</b>				704	229	156	122	144	28	25
Infant Mortality per 1000 births	<b>2013-2015</b>		4.7	5.3	6.2	6.8	8.8	7.0	3.3	7.7	2.5
<i>Number :</i>	<b>2015</b>				58	18	22	9	7	2	2
Maternal mortality rate per 100,000 births	<b>2013-2015</b>	<b>21.0</b>	20.9	18.9	13.7	31.7	19.1	0.0	0.0	0.0	0.0
<i>Number :</i>	<b>2015</b>				1	1	0	0	0	0	0
% of births with Early Prenatal Care (1st Trimester)	<b>2013-2015</b>		74.4	76.2	77.3	76.3	79.1	76.7	79.5	72.9	73.6
<i># not early prenatal care</i>	<b>2015</b>				2,020	602	317	350	496	144	112
% of births with Late (3rd trimester) or No Prenatal Care	<b>2013-2015</b>		5.6	4.1	4.3	5.0	4.0	4.5	3.1	5.0	5.0
<i>Number :</i>	<b>2015</b>				395	136	82	62	71	24	20
% of births with adequate prenatal care (Kotelchuck)	<b>2013-2015</b>		69.1	70.2	72.7	70.4	76.2	70.7	75.3	69.7	71.7
<i># not adequate prenatal care</i>	<b>2015</b>				2,514	803	394	472	570	156	120
Percentage of infants exclusively breastfed in the hospital	<b>2015</b>	<b>48.1</b>	44.3	51.0	66.7	63.9	68.2	61.4	74.4	61.1	68.1
<i># not exclusively breastfed</i>					2,948	1,044	513	576	511	190	114
<i>Ratio of Black non-Hispanics to White non-Hispanics</i>	<b>2013-2015</b>	<b>0.57</b>	0.57	0.53	0.61	0.58	0.6	0.68	0.96	0.82	s
<i>Ratio of Hispanics to White non-Hispanics</i>	<b>2013-2015</b>	<b>0.64</b>	0.56	0.57	0.75	0.70	0.72	0.75	1.00	0.78	0.83
<i>Ratio of Medicaid births to non-Medicaid births</i>	<b>2013-2015</b>	<b>0.66</b>	0.59	0.69	0.79	0.74	0.86	0.79	0.91	0.82	0.90
Percentage of children with any kind of health insurance - 0-19 yrs	<b>2015</b>	<b>100.0</b>	97.4	na	97.6	97.7	97.4	97.8	97.9	96.3	96.4
<i># without health insurance</i>					5,036	1,463	941	768	1,072	462	330
Children who have well child visits in government sponsored insurance programs <sup>4</sup>	<b>2015</b>	<b>76.9</b>	72.0	70.0	69.2	67.6	65.4	70.1	74.1	73.2	70.9
<i># without well child visits</i>					12,336	3,846	3,239	2,164	1,734	731	622
<i>Percentage of children ages 0-15 months</i>	<b>2015</b>	<b>91.3</b>	80.2	82.7	84.5	80.4	84.6	85.5	87.3	92.2	88.5
<i># without well child visits</i>					421	167	97	80	46	15	16
<i>Percentage of children ages 3-6 years</i>	<b>2015</b>	<b>91.3</b>	83.9	81.6	80.0	77.6	76.9	81.4	85.9	83.9	80.4
<i># without well child visits</i>					2,610	888	685	471	292	141	133
<i>Percentage of children ages 12-21 years</i>	<b>2015</b>	<b>67.1</b>	64.9	62.2	61.6	60.5	57.4	61.1	67.2	65.3	64.1
<i># without well child visits</i>					9,305	2,791	2,457	1,613	1,396	575	473



Adults with poor mental health for 14 or more days in the last month^	<b>2013-2014</b>	<b>10.1</b>	11.2	11.8	13.5	<b>13.4</b>	11.2	<b>17.2</b>	<b>12.7</b>	9.5	<b>17.8</b>
<i>Number :</i>					88,455	27,071	10,852	17,972	17,889	5,948	8,723
Age-adjusted mental disease/disorder primary dx ED visit rate per 10,000	<b>2013-2015</b>		151.8	122.9	125.6	130.1	<b>221.9</b>	120.5	118.4	134.5	<b>145.2</b>
<i>Number:</i>	<b>2015</b>				10,917	4,633	3,609	2,485	2,816	755	689
Age-adjusted mental disease/disorder primary dx hospitalization rate per 10,000	<b>2013-2015</b>		53.5	47.6	47.7	42.3	<b>88.1</b>	<b>61.3</b>	42.8	<b>62.5</b>	<b>71.8</b>
<i>Number:</i>	<b>2015</b>				3,680	1,551	1,300	1,132	993	391	340
Age-adjusted mental disease/disorder any dx ED visit rate per 10,000	<b>2013-2015</b>		537.2	618.3	555.4	<b>568.7</b>	<b>1,140.2</b>	461.5	334.0	294.5	363.1
<i>Number:</i>	<b>2015</b>				59,196	21,103	16,367	10,585	7,656	1,743	1,742
Age-adjusted mental disease/disorder any dx hospitalization rate per 10,000	<b>2013-2015</b>		367.2	356.8	356.6	354.2	<b>440.0</b>	347.7	293.7	<b>381.3</b>	<b>433.8</b>
<i>Number:</i>	<b>2015</b>				40,885	12,788	8,058	6,877	7,653	2,954	2,555
Age-adjusted Suicide Mortality rate per 100,000	<b>2013-2015</b>	<b>5.9</b>	7.9	9.6	11.1	9.8	10.4	10.4	<b>11.7</b>	<b>15.9</b>	<b>17.5</b>
<i>Number :</i>	<b>2015</b>				129	37	14	19	34	11	14
Suicide Mortality (15-19yrs) rate per 100,000	<b>2013-2015</b>		4.7	5.5	8.6	1.4	<b>13.0</b>	3.0	<b>16.4</b>	<b>27.8</b>	<b>11.2</b>
<i>Number :</i>	<b>2015</b>				7	1	2	1	3	0	0
Self-inflicted Injury Hospitalizations per 10,000	<b>2012-2014</b>		5.8	6.8	8.2	6.6	<b>13.1</b>	<b>7.9</b>	<b>8.6</b>	5.5	6.8
<i>Number :</i>	<b>2014</b>				755	196	201	120	181	30	27
Self-inflicted Injury (15-19 yrs) Hospitalizations per 10,000	<b>2012-2014</b>		11.9	12.9	15.4	10.1	<b>29.2</b>	<b>13.5</b>	<b>15.8</b>	<b>15.2</b>	<b>13.9</b>
<i>Number :</i>	<b>2014</b>				102	26	28	21	17	s	s
Drug-related Hospitalizations per 10,000	<b>2012-2014</b>		23.7	21.7	21.1	<b>22.0</b>	<b>24.2</b>	<b>22.5</b>	14.0	<b>27.5</b>	<b>32.3</b>
<i>Number :</i>	<b>2014</b>				2,298	830	418	426	337	139	145
Newborn drug-related discharge rate per 10,000 newborn discharges	<b>2012-2014</b>		104.8	140.8	109.9	78.2	<b>194.6</b>	108.1	71.4	124.3	<b>149.6</b>
<i>Number :</i>	<b>2014</b>				90	20	20	19	14	s	s
Age-adjusted Opioid Analgesic Prescription rate per 1,000 pop.	<b>2014-16</b>		423.4	525.8	523.8	439.0	579.1	583.3	492.9	600.0	<b>754.8</b>
<i>Number prescriptions:</i>	<b>2016</b>				537,619	141,369	94,795	98,383	121,193	41,565	40,314
Age-adjusted Opioid Overdose ED visits per 10,000	<b>2013-2015</b>		17.8	25.6	21.8	20.2	<b>26.0</b>	<b>23.3</b>	16.6	<b>29.6</b>	<b>32.8</b>
<i>Number:</i>	<b>2015</b>				261	65	56	57	46	20	17
Age-adjusted Opioid Overdose Hospitalizations per 10,000	<b>2013-2015</b>		15.5	16.1	11.1	10.5	12.2	10.0	10.5	11.4	<b>25.7</b>
<i>Number:</i>	<b>2015</b>				108	38	17	18	20	4	11
Age-adjusted Opioid Overdose Mortality Rate per 100,000	<b>2013-2015</b>		9.1	11.6	8.5	8.9	5.6	8.3	7.9	<b>11.5</b>	<b>16.6</b>

<i>Number:</i>	<b>2015</b>				94	31	12	18	19	6	8
Age-adjusted Heroin Overdose ED visits per 100,000	<b>2013-2015</b>		9.5	15.0	11.9	12.4	13.9	13.8	7.6	16.6	14.4
<i>Number:</i>	<b>2015</b>				167	48	31	38	28	12	10
Age-adjusted Heroin Overdose Hospitalizations per 100,000	<b>2013-2015</b>		3.6	4.1	3.7	2.7	3.1	4.3	4.3	s	11.4
<i>Number:</i>	<b>2015</b>				36	9	s	6	8	s	6
Age-adjusted Heroin Overdose Mortality rate per 100,000	<b>2013-2015</b>		4.2	5.3	4.3	5.1	2.0	4.1	4.3	3.9	10.0
<i>Number:</i>	<b>2015</b>				46	16	4	9	8	4	5
Age-adjusted Buprenorphine prescribing for substance use disorder (SUD) rate per 1,000 pop.	<b>2014-16</b>		29.4	46.2	43.3	34.1	57.8	45.2	38.1	61.4	60.3
<i>Number prescriptions:</i>	<b>2016</b>										
Adult binge drinking during the past month <sup>^</sup>	<b>2013-2014</b>	<b>18.4</b>	17.8	17.4	18.3	16.6	16.1	18.6	19.7	20.1	25.3
<i>Number:</i>					121,303	33,536	15,600	19,435	27,749	12,584	12,398
Cirrhosis mortality rate per 100,000	<b>2013-2015</b>		6.7	7.2	9.1	9.3	8.6	9.3	9.5	8.9	8.2
<i>Number:</i>	<b>2015</b>				99	25	19	15	23	10	7
Cirrhosis Hospitalizations per 10,000	<b>2012-2014</b>		2.6	2.2	2.3	2.5	3.0	2.4	1.7	1.6	1.5
<i>Number:</i>	<b>2013</b>				261	98	69	29	46	11	s
Alcohol-related motor vehicle injuries and deaths per 100,000	<b>2013-2015</b>		30.4	39.9	43.8	44.3	32.0	39.0	48.6	44.1	70.8
<i>Number:</i>	<b>2015</b>				428	163	45	62	102	26	30

 Counties in the 4th Quartile (1=good; 4=bad)  
 Counties in the 3rd Quartile

s Data do not meet reporting criteria

1- Alternate modes of transportation include public transportation, carpool, bike, walk, and telecommute  
supermarket or grocery store in rural areas

3- The 4:3:1:3:3:1:4 immunization series includes: 4 DTaP, 3 polio, 1 MMR, 3 hep B, 3 Hib, 1 varicella, 4 PCV13

4- Government sponsored insurance programs include Medicaid and Child Health Plus